

Amendments to the Claims

1-9 Cancelled

10. [Previously Amended] A method for separating compounds comprising the steps of:

contacting a mixture comprising cell lysate or enzyme and a DNA and/or RNA target compound which includes at least four non-shielded purine or pyrimidine moieties, and other compounds, with a solid composition including immobilized metal ions capable of binding compounds containing a non-shielded purine or pyrimidine moiety, to form a liquid product containing a reduced amount of the DNA or RNA compound which includes at least four a non-shielded purine or pyrimidine moieties; and collecting the target compound substantially free of protein.

11. [Original] The method of claim 10, further comprising the step of: separating the supernatant liquid from the solid composition.

12. [Previously Amended] A method for separating compounds comprising the steps of:

passing a mixture of compounds including target DNA and/or RNA compounds, comprising at least four non-shielded purine moieties, at least four non-shielded pyrimidine moieties or mixture thereof through a column including an IMAC ligand, where the ligand is capable of differentially binding the compounds; and

collecting purified samples of the target DNA and/or RNA compounds.

13. [Original] The method of claim 12, further comprising the step of:

detecting each compound in an effluent from the column as a function of time from at least one detectable property associated with each compound; and
determining the identity of each compound from the detected properties.

14. [Cancelled]

15. [Cancelled]

16. [Previously Amended] A method for purifying a lysate or enzyme product comprising a crude DNA or RNA target compound containing a at least four non-shielded purine and/or pyrimidine base moieties, said method comprising the steps of:

forming a crude mixture comprising a target compound and contaminants;
contacting the crude mixture with an agent including an IMAC ligand capable of binding to the target compound to form an IMAC ligand complex;
separating the complex from the contaminants; and
recovering the target compound from the complex.

Claims 17-21 are provisionally withdrawn and cancelled to avoid excess fees:

Claims 17-21: Cancelled

22. [Currently Amended] A method according to Claim 35
further comprising the steps of:

USSN 09/994,701, Docket 012MUSrSecondElection20080603.rtf of USPTO Customer 26830 Page 8 of 16

separating the supernatant liquid from the solid composition; or further comprising the steps of:

separating the supernatant liquid from the solid composition and eluting the compounds including a non-shielded purine or pyrimidine moiety from the solid composition.

23. [Previously Amended] A method for separating compounds comprising the step of:

contacting a mixture comprising cell lysate or enzyme and a target compound including DNA, RNA, or both DNA and RNA, a non-shielded purine or pyrimidine moiety and a compound including a shielded purine or pyrimidine moiety with a solid composition including immobilized metal ions capable of binding compounds containing a non-shielded purine or pyrimidine moiety to form a supernatant liquid having a reduced amount of compounds including a non-shielded purine or pyrimidine moiety;

wherein the compound including a non-shielded purine or pyrimidine moiety comprises a single stranded nucleic acid oligomer, or a single stranded nucleic acid polymer and the compounds including a shielded purine or pyrimidine moiety comprise double stranded nucleic acid oligomers or double stranded nucleic acid polymers;

wherein the supernatant liquid comprises compounds including DNA and/or RNA, and contains less than or equal to 5% by weight compounds comprising a non-shielded purine or pyrimidine moiety.

24. [Currently Amended] A method of Claim 22 wherein the supernatant liquid comprises compounds including a shielded purine or pyrimidine moiety having less

than or equal to 1% by weight of compounds which include a non-shielded purine or pyrimidine moiety.

25. [Previously Amended] A method of Claim 22 wherein the supernatant liquid comprises compounds including a shielded purine or pyrimidine moiety having less than or equal to 0.01% by weight compounds which include a non-shielded purine or pyrimidine moiety.

Claims 26-28 were provisionally withdrawn and cancelled to avoid excess fees:

26 - 28. Cancelled

29. [Previously Amended] A method of Claim ~~27~~ 23 wherein the mixture of compounds comprises poly(A) tailed mRNA sequences and other mRNA sequences from eukaryotic cells, the poly(a) mRNA sequences elute after the other mRNA sequences; or wherein the mixture of compounds comprises denatured nucleic acid sequences, wherein sequences having A- rich regions elute after sequences having T- rich regions; so that complementary strands can be resolved.

30. [Previously Amended] A method of Claim 23 wherein the solution of compounds comprises denatured nucleic acid sequences, wherein sequences having C- rich regions elute after sequences having G-rich regions so that complementary strands can be resolved; or wherein the mixture of compounds comprises denatured or partially denatured nucleic acid sequences having A-C, A-G, A-C-G, T-G, T-C and or T-G-C rich regions wherein the sequences having the A-C, A-G, and/or A-C-G rich regions

elute after their complementary sequences having T-G, T-C and or T-G-C' rich regions resulting in a resolution of complementary sequences.

31. [Cancelled]

32. [Previously Amended] A method for purifying a crude target compound containing a non-shielded purine and/or pyrimidine moiety from a mixture comprising cell lysate or enzyme and a DNA or RNA compound, which comprise compounds with at least four non-shielded purine and/or pyrimidine moieties, comprising the steps of:

forming a crude mixture comprising a target compound and contaminants;

contacting the crude mixture with an agent including an IMAC ligand capable of binding to the target compound to form an IMAC ligand complex;

separating the complex from the contaminants; and

recovering the target compound from the complex.

33. [Cancelled]

34. [Previously Amended] The method of claim 10 wherein the target compound containing at least four non-shielded purine or pyrimidine moieties, is selected from the group consisting of ~~among~~ single-stranded DNA, partially single-stranded DNA, denatured DNA, fragmented DNA or RNA, plasmid DNA containing single-stranded regions, incomplete or imperfect PCR products, chain-terminated polymerase products, restriction endonuclease-digested DNA, single-stranded PNA, single-stranded primer, single stranded RNA, polyA mRNA and messenger RNA; and is removed from compounds that do not contain a non-shielded purine or pyrimidine moiety.

35. [Previously Amended] A method for separating compounds comprising the step of:

contacting a ~~solution~~ mixture comprising cell lysate or enzyme comprising double-stranded DNA and additionally comprising RNA and/or DNA, which contains single-stranded portions having a non-shielded purine or pyrimidine moiety, with a solid composition comprising immobilized metal ions capable of binding compounds having a non-shielded purine or pyrimidine moiety, to form a supernatant liquid having a reduced amount of RNA and/or DNA having single-stranded portions.

36. [Previously Amended] A method for separating compounds comprising the steps of:

passing a solution comprising at least one RNA or DNA compound, the RNA or DNA compound containing single-stranded portions having at least four a non-shielded purine or pyrimidine ~~moiety~~ moieties through a column including an IMAC ligand, where the ligand is capable of differentially binding the DNA and/or RNA compounds; and collecting purified samples of each DNA and/or RNA compound.

37. [Previously Presented] The method of claim 36, further comprising the step of:
detecting each compound in an effluent from the column as a function of time from at least one detectable property associated with each compound; and
determining the identity of each compound from the detected properties.

Previously Added Claims 38 – 43:

USSN 09/994.701, Docket 012MUSrSecondElection20080603.rtf of USPTO Customer 26830 Page 12 of 16

38. [Previously Added] A method according to Claim 34 wherein the target compound is separated from a compound selected from the group consisting of genomic DNA, double-stranded plasmid DNA, double-stranded PCR product, double-stranded hybrid and double-stranded PNA.

39. [Previously Added] The method of claim 36, further comprising the step of:
detecting each compound in an effluent from the column as a function of time from at least one detectable property associated with each compound.

40. [Previously Added] The method of Claim 32 wherein the contacting of the crude mixture with the agent including an IMAC ligand capable of binding to the target compound to form an IMAC ligand complex is performed in batch mode.

41. [Previously Amended] The method of Claim 32 wherein the target compound comprises RNA having at least four non-shielded purine and/or pyrimidine moieties and is separated from a lysate containing double-stranded DNA.

42. [Previously Added] The method of Claim 32 wherein the target compound recovered from the complex is present in the original mixture at a concentration of less than 1 micromolar.

43. [Previously Added] The method of Claim 32 wherein the contacting of the crude mixture with the agent including an IMAC ligand capable of binding to the target compound to form an IMAC ligand complex is performed in batch mode,

and the target compound recovered from the complex is present in the original mixture at a concentration of less than 1 micromolar.

44. [Previously Added] The method of Claim 10 wherein the solid composition comprises a ligand selected from the group consisting of iminodiacetic acid (IDA), nitrilotriacetic acid (NTA), pentadentate chelator (PDC), tris-(2-ethylaminoethyl) amine (TREN), dipicolyl amine (DPA) and chelating lipids.